

SAFETY DATA SHEET

UB50

Page 1

Issued: 01/08/2008

Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: UB50

Product code: 995

Use of substance / preparation: 995 : A super concentrated multi-surface cleaner for water washable floors, furniture and equipment. Leaves a fresh fragrance.

Company name: Clover Chemicals Ltd
Clover House
Macclesfield Road
Whaley Bridge, High Peak
Derbyshire
SK23 7DQ
UK
Tel: +44 (0) 1663 733114
Fax: +44 (0) 1663 733115
Email: technical@cloverchemicals.com

2. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- Hazardous ingredients:** (C12 - C18)PARETH(2 -18) 1-10%
CAS: 24938-91-8
[Xn] R22; [Xi] R41
- LIMONENE (CITRUS DULCIS) 1-10%
EINECS: 232-433-8 CAS: 8028-48-6
[-] R10; [Xn] R65; [Xi] R38; [Sens.] R43; [-] R52/53
 - /-TRISODIUM NITRILOTRIACETATE 1-10%
EINECS: 225-768-6 CAS: 5064-31-3
[Xn] R22; [Xi] R36
 - AMPHOTERIC SURFACTANT 1-10%
EINECS:)
[Xi] R36

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

[cont...]

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water.

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Absorb into dry earth or sand.

7. HANDLING AND STORAGE

Suitable packaging: Stainless steel. Glass. Polyethylene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection: Safety glasses.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow

Odour: Pleasant

Evaporation rate: Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Relative density: 1.05

pH: 1% = 11.25

10. STABILITY AND REACTIVITY

Materials to avoid: Strong oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION**

Mobility: Soluble in water.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

[cont...]

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: Not Classified.

IMDG / IMO

UN no: Not Classified.

IATA / ICAO

UN no: Not Classified.

15. REGULATORY INFORMATION

Hazard symbols: Irritant.



Risk phrases: R36: Irritating to eyes.

Safety phrases: S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Seveso II guideline: No

Water hazard class: 1 Classification by VwVwS

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R38: Irritating to skin.

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R36: Irritating to eyes.

[cont...]

SAFETY DATA SHEET

UB50

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.