

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : GREEN'R MULTI  
Product code : 460  
Type of product : Detergent  
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use  
Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Cleaner  
Function or use category : Detergent

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Christeyns Professional Hygiene UK Ltd  
Clover House  
Macclesfield Road  
SK23 7DQ Whaley Bridge, Derbyshire  
United Kingdom  
T 01663 733114, F 01663 733115  
[info.cph.uk@christeyns.com](mailto:info.cph.uk@christeyns.com), [www.christeyns-ph.co.uk](http://www.christeyns-ph.co.uk)

##### Supplier

Christeyns NV  
Afrikalaan 182  
9000 GENT  
Belgium  
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44  
[info@christeyns.be](mailto:info@christeyns.be), [www.christeyns.com](http://www.christeyns.com)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

D-Glucopyranose, oligomers, decyl octyl glycosides; ALCOHOLS, C9-11, ETHOXYLATED

Hazard statements (CLP) :

H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.  
P280 - Wear eye protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS-no: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530-36	5 – 10	Eye Dam. 1, H318
ALCOHOLS, C9-11, ETHOXYLATED	CAS-no: 68439-46-3	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=2000 mg/kg bodyweight) Eye Dam. 1, H318
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	1 – 3	Eye Irrit. 2, H319
2-phenoxyethanol substance with national workplace exposure limit(s) (AT, DE, FI, NL, PL, SI, MK, CH)	CAS-no: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943-21	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=1394 mg/kg bodyweight) STOT SE 3, H335 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

Skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

Eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects eyes

: Causes serious eye damage. Redness.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media

: Water.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Packaging materials : polyethylene. stainless steel.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67.5 mg/m <sup>3</sup>
	10 ppm
IOEL STEL	101.2 mg/m <sup>3</sup>
	15 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
<b>Ireland - Occupational Exposure Limits</b>	
Local name	2-(2-Butoxyethoxy)ethanol
OEL TWA	67.5 mg/m <sup>3</sup>
	10 ppm
OEL STEL	101.2 mg/m <sup>3</sup>
	15 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA)	67.5 mg/m <sup>3</sup>
	10 ppm
WEL STEL (OEL STEL)	101.2 mg/m <sup>3</sup>

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
	15 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure that there is a suitable ventilation system.

#### Personal protection equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses. Wear eye protection

#### Environmental exposure controls

##### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point/range	: 0 °C
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: 100 °C
Flammability	: Not determined as it is not relevant for the characterization of the product Non flammable.
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: 6 – 8
Viscosity, kinematic	: Not available
Viscosity, dynamic	: < 20 cP at 20 °C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.018 g/cm <sup>3</sup>
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

2-phenoxyethanol (122-99-6)	
LD50 oral rat	1386 mg/kg Source: SIDS
LD50 oral	1850 mg/kg bodyweight
LD50 dermal rat	14391 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 dermal rabbit	> 2214 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	14391 mg/kg bodyweight
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: other:
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 oral	5660 mg/kg bodyweight
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l

D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg bodyweight

ALCOHOLS, C9-11, ETHOXYLATED (68439-46-3)	
LD50 oral rat	> 300 (≤ 2000) mg/kg

Skin corrosion/irritation : Not classified  
pH: 6 – 8

Additional information : Based on available data, the classification criteria are not met

2-phenoxyethanol (122-99-6)	
pH	5.5 – 7 pH (10 g/l) at 23 °C
Serious eye damage/irritation	: Causes serious eye damage. pH: 6 – 8

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2-phenoxyethanol (122-99-6)</b>	
pH	5.5 – 7 pH (10 g/l) at 23 °C
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

<b>2-phenoxyethanol (122-99-6)</b>	
LOAEL (animal/male, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
LOAEL (animal/female, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
NOAEL (animal/female, F0/P)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
NOAEL (animal/male, F0/P)	> 452 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	> 470 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

<b>2-phenoxyethanol (122-99-6)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

<b>2-phenoxyethanol (122-99-6)</b>	
LOAEL (oral, rat, 90 days)	> 700 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	> 500 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
NOAEL (dermal, rat/rabbit, 90 days)	500 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	< 200 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

<b>D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)</b>	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Viscosity, kinematic	6.794 mm <sup>2</sup> /s

### 11.2. Information on other hazards

#### Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

<b>2-phenoxyethanol (122-99-6)</b>	
LC50 - Fish [1]	344 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 500 mg/l waterflea
EC50 - Other aquatic organisms [2]	443 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	> 100 mg/l Scenedesmus subspicatus

<b>D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)</b>	
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	27.2 mg/l
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

<b>ALCOHOLS, C9-11, ETHOXYLATED (68439-46-3)</b>	
LC50 - Fish [1]	1 – 10 mg/l
LC50 - Fish [2]	1 – 10 mg/l

#### 12.2. Persistence and degradability

<b>GREEN'R MULTI</b>	
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	89 – 93 % 28 days, OECD 301 C

<b>ALCOHOLS, C9-11, ETHOXYLATED (68439-46-3)</b>	
Persistence and degradability	Rapidly degradable

#### 12.3. Bioaccumulative potential

<b>GREEN'R MULTI</b>	
Bioaccumulative potential	No bioaccumulation.

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2-phenoxyethanol (122-99-6)</b>	
Log Pow	1.09
<b>2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)</b>	
Log Pow	0.56
<b>D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)</b>	
Log Pow	< 1.77
<b>12.4. Mobility in soil</b>	
<b>D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)</b>	
Mobility in soil	0.2624 Source: EPISUITE
<b>12.5. Results of PBT and vPvB assessment</b>	
No additional information available	
<b>12.6. Endocrine disrupting properties</b>	
No additional information available	
<b>12.7. Other adverse effects</b>	
<b>GREEN'R MULTI</b>	
Other information	Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Waste / unused products

: Avoid release to the environment.

HP Code

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
Not regulated for transport		
<b>14.2. UN proper shipping name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

#### 14.6. Special precautions for user

##### Overland transport

Not regulated

##### Transport by sea

Not regulated

##### Air transport

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

###### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

###### Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
non-ionic surfactants	5-15%
perfumes	
TERPINEOL	

###### Fragrance allergens > 0.01%:

TERPINEOL

###### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# GREEN'R MULTI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Dam. 1	H318	Calculation method
------------	------	--------------------

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.