

## SAFETY DATA SHEET

#### TYRE AND RUBBER DRESSING

Issued: 12/01/2005

Revision No: 1

Page 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** TYRE AND RUBBER DRESSING

**Product code:** 711

Use / description of product: 711: A low odour solvent based dressing to produce a new look satin finish on tyres

Company name: Clover Chemicals Ltd

Clover House

Macclesfield Road

Whaley Bridge, High Peak

Derbyshire SK23 7DQ

UK

Tel: +44 (0) 1663 733114 Fax: +44 (0) 1663 733115

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 70-90%

EINECS: 265-149-8 CAS: 64742-47-8

[Xn] R65; [Xi] R66

# 3. HAZARDS IDENTIFICATION

Main hazards: Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or

cracking.

# 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to

drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure

the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery

position. Transfer to hospital as soon as possible.

[cont...]

# Issued: 12/01/2005 SAFETY DATA SHEET

### TYRE AND RUBBER DRESSING

Page 2

### 5. FIRE-FIGHTING MEASURES

Extinguishing media: Water spray. Carbon dioxide.

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Protection of fire-fighters: Wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

**Environmental precautions:** Do not discharge into drains or rivers.

**Clean-up procedures:** Absorb into dry earth or sand.

## 7. HANDLING AND STORAGE

**Handling requirements:** Ensure there is sufficient ventilation of the area.

Storage conditions: Store in cool, well ventilated area.

Suitable packaging: Steel drums. Aluminium containers. Stainless steel. Teflon. Glass.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

Hand protection: Gloves (solvent-resistant).

**Eye protection:** Safety glasses.

Skin protection: Solvent resistant protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colourless

Odour: Barely perceptible odour

Evaporation rate: Moderate

**Oxidising:** Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

Flash point°C: 75 Relative density: 0.82

**VOC g/l:** 700

# 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Flames.

Materials to avoid: Oxidising agents.

[cont...]

## Issued: 12/01/2005

## SAFETY DATA SHEET

TYRE AND RUBBER DRESSING

Page 3

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### 11. TOXICOLOGICAL INFORMATION

## 12. ECOLOGICAL INFORMATION

Mobility: Volatile. Insoluble in water.

Bioaccumulative potential: No bioaccumulation potential.

### 13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## 14. TRANSPORT INFORMATION

# ADR/RID

UN no: -

**Shipping name:** "NOT SUBJECT TO ADR"

## IMDG/IMO

UN no: -

# IATA/ICAO

UN no:

# 15. REGULATORY INFORMATION

Hazard symbols: Harmful.



**Risk phrases:** R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

**Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Seveso II guideline: No

Water hazard class: 1 Classification by VwVwS

Air emission directive: Class: III Item no: 5.2.5 Amount m%: 85

Note: The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

[cont...]

# **SAFETY DATA SHEET**

TYRE AND RUBBER DRESSING

Page 4

# 16. OTHER INFORMATION

**Risk phrases used in s.2:** R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall

be used only as a guide. This company shall not be held liable for any damage resulting from

handling or from contact with the above product.

[final page]