

## M175 : PLASTIC SAFE GRAFFITI REMOVER

plastic safe graffiti remover

### Description of product

**Ideal for enclosed spaces and shelters. Safe on plastics, laminates and polycarbonates. Removes adhesives.**

A new generation of graffiti remover which intelligently removes paint off a painted surface. Different types of paint, such as car paint, powder coated paint and gloss paints are chemically different to aerosol spray paints used by vandals. Plastic safe is formulated to break up aerosol spray paint (without dissolving it) but will not attack the oleo-resinous, polyurethane or powder coated substrate. Also the product will not attack common plastics including polycarbonate, it has been extensively tested on the Glasdon range of bins and shelters.

### Directions

Spray product evenly across graffiti. Leave for 10-60 minutes (more porous surfaces require longer). To prevent bleeding or ghosting the best techniques for removal is pressure washing with water. Alternatively, scrape carefully with a soft spatula to avoid damaging the underlying paint or plastic. On non-porous surfaces the graffiti can be wiped off with a paper towel. On more sensitive surfaces, ensure product is fully removed after treatment to prevent any long term discolouration. Though Selden cannot comment on the environment impact of the graffiti, this Plastic Safe Graffiti Remover has an exceptionally good environmental profile. Does not contain either acids or caustics.

### iNsight Supported

iNsight is Selden's interactive product selection and training system. Enables the user to create full COSHH training kits, wallcharts, task cards and more. visit <http://www.selden.co.uk/insight>



typical dilution

### iNsight recommended product uses

Special - graffiti removal from sensitive surfaces (inc plastics / painted surfa

neat

### Product Hazards and PPE Requirements



IRRITANT



#### Risk Phrases

R10 Flammable., R38 Irritating to skin., R41 Risk of serious damage to eyes.

#### Safety Phrases

S2 Keep out of the reach of children., S23 Do not breathe vapour/spray., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S51 Use only in well-ventilated areas.

### Technical Data

|             |   |
|-------------|---|
| Composition | A blend of water dispersible solvents and sufatants |
| Appearance  | Hazy liquid   |
| Colour      | White   |
| Density     | 1.100   |
| Fragrance   | Slight solvent                                      |
| Stability   | 2 years in a unopened container                     |
| Storage     | Protect from freezing                               |

### Environmental Profile

#### Biodegradability

All surfactants contained in Selden Products meet the requirements of the EU Detergent Directive 2005 – 2004/648/EC. This requires all surfactants to break down both quickly and completely into harmless material such as CO2 and water.

#### Selden Environmental Charter

- We set ourselves industryleading standards.
  - Selden minimises wastage, packaging and transportation.
  - If it can be recycled, it will be recycled.
  - Our chemicals policy exceeds regulatory requirements.
  - We don't expect other people to clean up after us.
  - Conserving energy, preserving resources.
  - By being innovative, we strive to do better.
  - We like to work in partnership with our clients.
- Visit our website for more information.

#### External Accreditations

9001 - Quality System  
14001 - Environmental System  
18001 - Health & Safety System  
IPPC Certified Manufacturer

#### Sustainability

Product conforms with the DEFRA endorsed Sustainable Cleaning guidance



### COSHH+ Supported

Selden's bespoke COSHH awareness and product training tool. Users specify the products in use and instantly generate a full training pack to enable quick and effective staff training.



### www.flagship-mcp.com

Flagship products are those products that are included in Selden Multi-language Cleaning Programme. Flagship products have induction kits, best practise guidance, MSDS, wallcharts and usage guides available in the following languages



english, french, spanish, portuguese, polish, german, dutch, russian, romanian, estonian, czech, croatian.



ISO 9001



ISO 14001



ISO 18001

UKAS

accredited testing  
laboratory No. 4204



**SELDEN**  
formulating  
testing  
manufacturing  
to  
the highest  
standards

### Selden Research Limited

Staden Business Park, Staden Lane, Buxton  
Derbyshire. SK17 9RZ

Tel : 01298 26226 | Fax : 01298 26540 | Email : [info@selden.co.uk](mailto:info@selden.co.uk) | web : [www.selden.co.uk](http://www.selden.co.uk)

