SAFETY DATA SHEET

HG extreme power cleaner (super remover) (HG product 20)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name
Product code
Product description
Product type
Other means of
identification

- : HG extreme power cleaner (super remover) (HG product 20)
- : 435
- : Cleaner.
- : Liquid.
- : HG super remover (tiles)

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable.

1.3 Details of the supplier of the safety data sheet

HG International BV Damsluisweg 70 - NL-1332 EJ - Almere - The Netherlands Tel.: +31 (0)36 54 94 700 - Fax: +31 (0)36 54 94 744 Email: info@hg.eu - Internet: www.hg.eu

e-mail address of person : safety@hg.eu responsible for this SDS

National contact

HG Hagesan UK Ltd. Unit 2 Lanswood Park Broomfield Road Elmstead Market Colchester Essex CO7 7FD Tel.: 0044 (0)1206 822744 Fax: 0044 (0)1206 827019

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	: England and Wales NHS Direct: 0845 4647
	Scotland NHS 24: 08454 24 24 24
	Republic of Ireland 01 809 2166
Supplier	
Telephone number	: +31 (0)36 54 94 777
Hours of operation	: Mo-Fr 9.00-17.00
Information limitations	: Only for medical personnel.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

HG extreme power cleaner (super remover) (HG product 20)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Skin Corr. 1, H314

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R41, R38

Human health hazards : Risk of serious damage to eyes. Irritating to skin.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Causes severe skin burns and eye damage.
Precautionary statements	
General	: If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Prevention	: Wear protective gloves and eye protection.
Response	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	: Not applicable
Disposal	: Not applicable
Hazardous ingredients	: Isotridecanol, ethoxylated sodium hydroxide
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ents
Containers to be fitted with child-resistant fastenings	: Yes, applicable.
Tactile warning of danger	: Yes, applicable.
2.3 Other hazards	
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

Substance/mixture	: Mixture				
			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
2-(2-butoxyethoxy) ethanol	EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	>=10 - <20	Xi; R36	Eye Irrit. 2, H319	[1] [2]
Isotridecanol, ethoxylated	EC: 500-241-6 CAS: 69011-36-5	>=1 - <5	Xi; R41	Eye Dam. 1, H318	[1]
tetrapotassium pyrophosphate	REACH #: 01-2119489369-18 EC: 230-785-7 CAS: 7320-34-5 Index: 230-785-7	>=1 - <5	Xi; R36	Eye Irrit. 2, H319	[1]
sodium hydroxide	REACH #: 01-2119457892-27 EC: 215-185-5 CAS: 1310-73-2 Index: 011-002-00-6	>=0,5 - <2	C; R35	Skin Corr. 1A, H314	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Get medical attention immediately. Call a poison center or physician. Chemical burns must be treated promptly by a physician.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Н	G extreme power cleaner (super remover) (HG product 20)
SECTION 4: First aid m	easures
4.2 Most important symptom	is and effects, both acute and delayed
Potential acute health effect	<u>ts</u>
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes severe burns.
Ingestion	: May cause burns to mouth, throat and stomach.
Over-exposure signs/symp	
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefighting	g measures
5.1 Extinguishing media	
Suitable extinguishing media	: Not applicable
Unsuitable extinguishing media	: Not applicable
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tec	tive equipment and emergency procedures
For non-emergency personnel		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders		If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions		Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	' co	ntainment and cleaning up
Small spill		Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill		Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6.4 Reference to other sections		See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)		
Recommendations	: Not available.	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

HG extreme power cleaner (super remover) (HG product 20)

SECTION 7: Handling and storage

Industrial sector specific : Not available. solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient	t name		Exposure limit value	es
2-(2-butoxyethoxy)ethanol		EU OEL (Europe, 12/2 occupational exposu STEL: 101,2 mg/m ³ STEL: 15 ppm 15 mi TWA: 67,5 mg/m ³ 8 h TWA: 10 ppm 8 hour	re limit values 15 minutes. nutes. nours.	ndicative
Recommended monitoring procedures	atmosphere or h of the ventilation protective equip the following: E the assessment limit values and atmospheres - (exposure to che (Workplace atm for the measure	or other control measurement. Reference shou uropean Standard EN of exposure by inhalati measurement strategy Guide for the application mical and biological ag	ay be required to dete ures and/or the neces Id be made to monitor 689 (Workplace atmo- on to chemical agents) European Standard n and use of procedur ients) European Stan quirements for the per ts) Reference to natio	rmine the effectiveness sity to use respiratory ring standards, such as spheres - Guidance for s for comparison with EN 14042 (Workplace res for the assessment of dard EN 482 formance of procedures onal guidance
DNELs/DMELs No DNELs/DMELs available.				
PNECs No PNECs available				
8.2 Exposure controls				
Appropriate engineering controls	enclosures, loc	ns generate dust, fume al exhaust ventilation o porne contaminants be	r other engineering co	ontrols to keep worker
Individual protection measure	<u>es</u>			
Hygiene measures	eating, smoking Appropriate tec Wash contamir	and using the lavatory	and at the end of the d to remove potentiall using. Ensure that ey	y contaminated clothing.
Eye/face protection	: Recommended	I: Safety glasses.		
Skin protection				
Hand protection	the preparation		rial taking account of	e product/the substance/ the penetration times,
	characteristics consists of seve calculated in ac from the glove	manufacturer.	acturer to manufactur rability of the glove ma equires testing before	er. As the product
Date of issue/Date of revision	: 18-5-2015. Da	te of previous issue	: 22-4-2015.	Version : 1.02 6/12

SECTION 8: Exposure controls/personal protection

hand care. Only put on gloves when your hands are clean. Wash and dry your hands carefully after wearing gloves.

Permeation time of the glove material

You can ask the glove manufacturer for the exact penetration time; take this into account. If product may come into contact with hands, assuming a long contact of maximum 15 minutes, gloves of the following materials offer adequate protection according to DIN EN 374.

- * butyl rubber (thickness > 0.5 mm)
- * nitrile rubber (thickness > 0.35 mm)
- * polychloroprene rubber (thickness > 0.4 mm)
- * natural rubber (thickness > 0.5 mm)

For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with a preference for a breakthrough time of more than 480 minutes.

Protection against splashes For short contact or splash protection, use the same gloves as for long contact. A shorter breakthrough time may be acceptable provided the gloves are replaced in time.

Recommended: Latex gloves. or Nitrile gloves.

Body protection	: Not applicable
Other skin protection	: Not applicable
Respiratory protection	: Not applicable
Thermal hazards	: Not applicable
Environmental exposure controls	: Not applicable

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 Information on basic physical	and chemical properties
<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: Not available.
рН	: 13,8 [Conc. (% w/w): 100%]
Melting point/freezing point	: -3,62°C
Initial boiling point and boiling range	: 100°C
Flash point	: Not available.
Evaporation rate	: 0,003 (Butylacetaat = 1)
Flammability (solid, gas)	: Not available.
Burning time	: Not applicable.
Burning rate	: Not applicable.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 1,047
Solubility(ies)	: Easily soluble in the following materials: cold water, hot water, methanol, diethyl ether and acetone.
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
	. 40 5 0045 Detector inclusion inclusion

HG extreme power cleaner (super remover) (HG product 20) SECTION 9: Physical and chemical properties			
Explosive properties	: Not available.		
Oxidising properties	: Not available.		

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: No specific data.			
10.5 Incompatible materials	: Reactive or incompatible with the following materials: acids			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-butoxyethoxy)ethanol		Rabbit Rat	2700 mg/kg 4500 mg/kg	-

Conclusion/Summary	: Not available.
--------------------	------------------

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-(2-butoxyethoxy)ethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	20 milligrams	-
sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1 Percent	-
	Eyes - Mild irritant	Rabbit	-	400 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	24 hours 50 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Eyes - Severe irritant	Rabbit	-	24 hours 1 milligrams	-
	Eyes - Severe irritant	Rabbit	-	0,5 minutes 1 milligrams	-
	Skin - Mild irritant	Human	-	24 hours 2 Percent	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-
Conclusion/Summary	: Not available.				
Sensitisation					
Conclusion/Summary	: Not available.				
<u>Mutagenicity</u>					
Conclusion/Summary	: Not applicable.				
Carcinogenicity					
Conclusion/Summary	: Not applicable.				
Reproductive toxicity					
<u>Reproductive toxicity</u>					

HG extreme power cleaner (super remover) (HG product 20)
--

	HG extreme power cleaner (super remover) (HG product 20)
SECTION 11: Toxicolo	gical information
Conclusion/Summary	: Not applicable.
Teratogenicity	
Conclusion/Summary	: Not applicable.
Specific target organ toxic	<u>zity (single exposure)</u>
Not available.	
Specific target organ toxic	city (repeated exposure)
Not available.	
Aspiration hazard	
Not available.	
Information on the likely	
Information on the likely routes of exposure	: Not available.
Potential acute health effect	te
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory
initiation	system.
Skin contact	: Causes severe burns.
Ingestion	: May cause burns to mouth, throat and stomach.
Symptoms related to the ph	nysical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following:
	pain watering
	redness
Inhalation	: No specific data.
Skin contact	Adverse symptoms may include the following:
	pain or irritation
	redness
	blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Delayed and immediate effe	ects and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate	: Not available.
effects	
Potential delayed effects	Not available.
Long term exposure	

Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effects				

Not available.

Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

SECTION 11: Toxicological information

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2-(2-butoxyethoxy)ethanol sodium hydroxide	Acute LC50 1300000 µg/l Fresh water Acute EC50 40,38 mg/l Fresh water	Fish - Lepomis macrochirus Crustaceans - Ceriodaphnia dubia - Neonate	96 hours 48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Conclusion/Summary

: Readily biodegradable

12.2 Persistence and degradability

Conclusion/Summary	: Readily biodegradable		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
HG extreme power cleaner (super remover) (HG product 20)	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-(2-butoxyethoxy)ethanol	<1	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment		
PBT	: Not applicable.	
vPvB	: Not applicable.	
12.6 Other adverse effects	: No known significant effects or critical hazards.	

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 13: Disposal considerations

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	1760	1760	1760	1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (sodium hydroxide, Silicic acid (H2SiO3), disodium salt, pentahydrate)			
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	Ш	Ш	Ш	Ш
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	Tunnel code (E)	-	-	-

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk : N according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high o	oncern	
None of the components a	re listed.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Other EU regulations		
Europe inventory	: Not determined.	
Priority List Chemicals (793/93/EEC)	: Listed	
Seveso II Directive		
This product is not controlled	under the Seveso II Directive.	
Contains (Regulation (EC) No 648/2004)	non-ionic surfactants, anionic surfactants, phosphates	<5%

Date of issue/Date of revision

: 18-5-2015. Date of previous issue

: 22-4-2015.

	H	IG extreme power clean	er (super remover) (HG product 20)	
Assessment required. SECTION 16: Other information Indicates information that has changed from previously issued version. Abbreviations and acronyms : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Classification Justification Skin Corr. 1, H314 Expert judgment Full text of abbreviated H statements : H314 Causes serious eye damage. H319 Full text of classifications Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Skin Corr. 1, H314 Full text of classifications : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Skin Corr. 1, H314 Full text of classifications : R35- Causes severe burns. R36- Irritating to syn. Skin Corr. 1, H314 SKIN CORROSION//RRITATION - Category 1 Skin Corr. 1, H314 Full text of classifications : C - Corrosive R38- Irritating to syn. Full text of classifications : C - Corrosive R38- Irritating to syn. R38- Irritating to syn. R38- Irritating to syn. R38- Irritating to syn. Full text of classifications : 22-4	SECTION 15: Regulato	ry information		
✓ Indicates information that has changed from previously issued version. Abbreviations and acronyms : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DNEL = Derived No Effect Concentration RRN = REACH Registration Number vPVB = Very Persistent and Very Bioaccumulative Classification according to Regulation (EC) No. 1272/2008] Classification Date of abbreviated H Stin Corr. 1, H314 Full text of abbreviated H statements : H314 Causes serious eve damage. H318 Causes serious eve damage. H318 Causes serious eve damage. H319 Causes serious eve damage. H318 Causes serious eve damage. H318 SERIOUS EVE DAMAGE/ EVE IRRITATION - Category Skin Corr. 1, H314 SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1, H314 SKIN CORROSION/IRRITATION - Ca		-	ns substances for which Chemical Safety Assessments are still	
Abbreviations and acronyms : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived Mo Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Classification Justification Skin Corr. 1, H314 Expert judgment Full text of abbreviated H : H314 Causes severe skin burns and eye damage. H319 Full text of classifications : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Skin Corr. 1, H314 Full text of abbreviated R : R35- Causes severe burns. H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Skin Corr. 1, H314 Skin Corr. 1, H314 SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1, H314 SKIN CORROSION/IRRITATION - Category 1A Full text of abbreviated R : R35- Causes severe burns. R41 - Risk of serious damage to eyes. R38- Irritating to eyes. R38- Irritating to eyes. R38- Irritating to skin. Full text of classifications : C - Corrosive Xi - Irritating to skin. Full text of classifications : C - Corrosive Xi - Irritating to eyes. R38- Irritating to eyes. R38- Irritating to skin. Full text of classifications : C -	SECTION 16: Other inf	ormation		
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPVB = Very Persistent and Very Bioaccumulative Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Classification Justification Skin Corr. 1, H314 Expert judgment Full text of abbreviated H : H314 Causes serious eye damage. H318 Causes serious eye irritation. Full text of classifications : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category [CLP/GHS] : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Skin Corr. 1, H314 : R35- Causes severe burns. R41- Risk of serious damage to eyes. R38- Irritating to eyes. R38- Irritating to skin. R38- Irritating to skin. Full text of classifications : C - Corrosive R05D/DPD] Xi - Irritant Date of printing : 18-5-2015. Pate of previous issue	Indicates information that	has changed from previo	usly issued version.	
Classification Justification Skin Corr. 1, H314 Expert judgment Full text of abbreviated H statements : H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Full text of classifications [CLP/GHS] : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Eye Irrit. 2, H319 Full text of abbreviated R phrases : R35- Causes severe burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to skin. Full text of classifications [DSD/DPD] : C - Corrosive Xi - Irritant Date of printing : 18-5-2015. Date of previous issue : 22-4-2015. Version : 1.02	Ţ	CLP = Classification 1272/2008] DMEL = Derived Min DNEL = Derived No EUH statement = C PBT = Persistent, Bi PNEC = Predicted N RRN = REACH Reg vPvB = Very Persiste	h, Labelling and Packaging Regulation [Regulation (EC) No. himal Effect Level Effect Level LP-specific Hazard statement ioaccumulative and Toxic No Effect Concentration gistration Number ent and Very Bioaccumulative	
Skin Corr. 1, H314 Expert judgment Full text of abbreviated H statements : H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Full text of classifications [CLP/GHS] : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Eye Irrit. 2, H319 Full text of abbreviated R phrases : R35- Causes severe burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to eyes. R38- Irritating to skin. Full text of classifications : C - Corrosive Xi - Irritant Date of printing : 18-5-2015. Date of previous issue : 22-4-2015. Version : 1.02	Procedure used to derive th	e classification accordi	ng to Regulation (EC) No. 1272/2008 [CLP/GHS]	
Full text of abbreviated H : H314 Causes severe skin burns and eye damage. statements H318 Causes serious eye damage. H319 Causes serious eye irritation. Full text of classifications : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Skin Corr. 1, H314 SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1A, H314 SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1A, H314 SKIN CORROSION/IRRITATION - Category 1 Full text of abbreviated R : R35- Causes severe burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to skin. Stil text of classifications : Full text of classifications : C - Corrosive Xi - Irritant Date of printing : 18-5-2015. Image: 18-5-2015. Date of issue/ Date of : 22-4-2015. Version Version : 1.02 .		fication		
statementsH318Causes serious eye damage. H319Full text of classifications [CLP/GHS]Eye Dam. 1, H318SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Eye Irrit. 2, H319Full text of classifications (CLP/GHS]Eye Dam. 1, H314SKIN CORROSION/IRRITATION - Category 1 Skin Corr. 1, H314Full text of abbreviated R phrasesR35- Causes severe burns. R41- Risk of serious damage to eyes. R38- Irritating to eyes. R38- Irritating to skin.Full text of classifications [DSD/DPD]C - Corrosive Xi - IrritantDate of printing18-5-2015.Date of previous issue22-4-2015.Version22-4-2015.	Skin Corr. 1, H314		Expert judgment	
[CLP/GHS]Eye Irrit. 2, H319SERIOUS EYE DAMAGE/ EYE IRRITATION - Category Skin Corr. 1, H314Full text of abbreviated R phrases:R35- Causes severe burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to skin.Full text of classifications [DSD/DPD]:C - Corrosive Xi - IrritantDate of printing Date of issue/ Date of revision:18-5-2015. 18-5-2015.Date of previous issue:22-4-2015. 1.02		H318 Causes se	erious eye damage.	
phrasesR41- Risk of serious damage to eyes. R36- Irritating to eyes. R38- Irritating to eyes. R38- Irritating to skin.Full text of classifications [DSD/DPD]C - Corrosive Xi - IrritantDate of printing:18-5-2015.Date of issue/ Date of revision:18-5-2015.Date of previous issue:22-4-2015.Version:1.02		Eye Irrit. 2, H319 Skin Corr. 1, H314		
[DSD/DPD]Xi - IrritantDate of printing: 18-5-2015.Date of issue/ Date of revision: 18-5-2015.Date of previous issue: 22-4-2015.Version: 1.02		R41- Risk of serious R36- Irritating to eye	R41- Risk of serious damage to eyes. R36- Irritating to eyes.	
Date of issue/ Date of revision: 18-5-2015.Date of previous issue Version: 22-4-2015.: 1.02				
revisionDate of previous issue: 22-4-2015.Version: 1.02	· · · ·			
Version : 1.02		: 18-5-2015.		
		: 1.02		

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.